LG CreateBoard Standard interactive whiteboard 139.7 cm (55") 3840 x 2160 pixels Touchscreen Black



Brand : LG

Product code: 55TR3DQ-B

Product name : CreateBoard Standard



- Resolution : 3,840 × 2,160 (UHD)
- Brightness : 400 nit (Typ.)
- Multi-Touch Point : Max. 50 Points
- OS Ver. : Andorid 14 (EDLA)
- Interface (Input) : HDMI (3), DP, RGB (VGA), Audio, RS-232C, RJ45 (LAN), USB Type-C (2), USB 3.0 Type-A (5), USB 2.0 Type-A
- Interface (Output) : HDMI Out, Audio Out, Touch USB (3), RJ45 (LAN)

CreateBoard Standard, 55", 3840x2160, 5000:1, VA, 400nit, HDMI, DisplayPort, USB, RJ-45, Wi-Fi
LG CreateBoard Standard. Display diagonal: 139.7 cm (55"), Display brightness: 400 cd/m², Display number of colours: 1.07 billion colours. Operating system installed: Android, Processor architecture: ARM Cortex A73 + ARM Cortex A53, Maximum internal memory: 64 GB. Top Wi-Fi standard: Wi-Fi 6E (802.11ax). USB connector type: Micro-USB A, USB Type-C. Product colour: Black, Panel mounting interface: 400 x 200 mm, Mean time between failures (MTBF): 50000 h

Display	
Display diagonal *	139.7 cm (55")
Display brightness	400 cd/m²
Display number of colours	1.07 billion colours
Display resolution	3840 x 2160 pixels
Anti-glare screen	✔
HD type	4K Ultra HD
Panel type	VA
LED backlight	✔
LED backlighting type	Direct-LED
Native aspect ratio	16:9
Contrast ratio (typical)	5000:1
Contrast ratio (dynamic)	5000:1
Response time	6.5 ms
Maximum refresh rate	60 Hz
Touchscreen *	✔
Touch technology	Multi-touch
Number of simultaneous touchpoints	50
Touch system response time	5 ms
Touch object size (min)	2 mm
Viewing angle, horizontal	178°
Viewing angle, vertical	178°
Colour gamut	72%
Screen glass thickness	3.2 mm
Handles quantity	1

Computer system	
Operating system installed	Android
Operating system version	14
Built-in processor	✔
Processor architecture	ARM Cortex A73 + ARM Cortex A53
Maximum internal memory	64 GB
RAM capacity	8 GB
Graphics card family	ARM
Graphics card	Mali-G52 MP8

Ports & interfaces	
Ethernet LAN (RJ-45) ports	1
Line-in	✔
OPS slot	1

Ergonomics	
Product colour	Black
VESA mounting	✔
Panel mounting interface	400 x 200 mm
Wall mountable	✔
Mean time between failures (MTBF)	50000 h
Certification	IEC 62368-1:2018; UL 62368-1:2019

Performance	
Ambient light sensor	✔

Power	
Power consumption (max)	290 W
Power consumption (typical)	135 W
Power consumption (standby)	0.5 W
AC input voltage	100 - 240 V
AC input frequency	50/60 Hz

System requirements	
Windows operating systems supported	✔
Mac operating systems supported	✔
Linux operating systems supported	✔
Mobile operating systems supported	Android

Operational conditions	
Operating temperature (T-T)	0 - 40 °C
Operating relative humidity (H-H)	10 - 90%

Weight & dimensions	
Width *	1269.1 mm
Depth	99.7 mm
Height *	783.4 mm
Weight	26.6 kg

Projector	
Built-in projector *	✗

Network	
Wi-Fi	✔
Top Wi-Fi standard	Wi-Fi 6E (802.11ax)
Bluetooth	✔
Bluetooth version	5.3
Wake-on-LAN ready	✔

Ports & interfaces	
USB 3.2 Gen 1 (3.1 Gen 1) Type-A ports quantity	5
USB 2.0 ports quantity	1
USB connector type	Micro-USB A, USB Type-C
HDMI ports quantity	3
USB Type-C ports quantity	2
HDMI output ports quantity	1
RGB ports quantity	1
DisplayPorts quantity	1

Weight & dimensions	
Bezel width (L/T, R/B)	15/25.6/15/43.5

Packaging data	
Package width	1428 mm
Package depth	185 mm
Package height	868 mm
Package weight	31.6 kg

Packaging content	
Manual	✔
Cables included	HDMI, Power, USB
Remote control included	✔
Quick start guide	✔
Stylus included	✔

Sustainability	
Sustainability certificates	ENERGY STAR, EPEAT, ErP
Compliance certificates	Federal Communications Commission (FCC)

8806096421246

0195174114766

195174114766

8806096503690

Catalog Object Cloud

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity. Automated scraping, data mining, or harvesting for the purpose of training machine learning models, neural networks, or artificial intelligence systems is strictly prohibited without a commercial license.

Publication date: 28-AUG-2026. Prints or copies of Information are only valid on the printed Publication date